Google scholar "file type" and (application or program) and isola

Search

Scholar anytime

include citations

Results 1 - 100 of about 3.760, (0.50 sec)

Did you mean: "file type" and (application or program) and isolate

Application performance and flexibility on exokernel systems- *psu.edu |PDF|

MF Kaashoek, DR Engler, GR Ganger, HM ... - ACM SIGOPS Operating Systems Review, 1997 - portal acm.org ... have carefully crafted kernel software abstractions to ... where files have application-defined metadata ... metadata translation functions specific to each file ... Cited by 271 - Related articles - Bt. Direct - All 131 versions

ICITATION The mass isolation of whole cells from rat liver

NG Anderson - Science, 1953 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 111 - Related articles - All 3 versions

ICITATION Review: Isolated cardiac myocytes: I Preparation of adult myocytes and their homology with ...

JW DOW, NGL HARDING, T POWELL - Cardiovascular Research, 1981 - cardiovascres.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 101 - Related articles - Cached - All 3 versions

... programming system for machine creation of applications program source code from non-...

PJ Messerich, IH Abel, VC Benda, CE Clark, ... - US Patent 4,742,467, 1988 - Google Patents

... 72 DECISION DP OTHER COMPUTER PROGRAM CONNECT TO 13 APPLICATION NAME: GOLD **EXCHANGE** STATUS: NEW PHASE ... EXCHANGE RATE File Name: COMMODITIES FILE Type: N Length ...

Cited by 42 - Related articles - All 2 versions

[CITATION] ... pump function and consequences of having two pumps in one heart. A study on the isolated ...

G Elzinga, H Piene, JP De Jong - Circulation Research, 1980 - Am Heart Assoc

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 75 - Related articles - All 2 versions

ICITATIONI Isolation of Histoplasma capsulatum and Allescheria boydii from soil

L. Aiello, LD Zeidberg - Science, 1951 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 72 - Related articles - Alt 3 versions.

ICITATION The isolation of pituitary growth hormone

CH Li, HM Evans · Science, 1944 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch ${\bf Application"}$ for the file type "application/pdf," and ...

Cited by 69 - Related articles - All 3 versions

Type-safe linking and modular assembly language- *psu.edu (PDF)

N Glew, G Morrisett - Proceedings of the 26th ACM SIGPLAN-SIGACT ..., 1999 - portal.acm.org

... parameters are GUI handles for the **application** and/or ... expects the registers to have register **file type** I?, A ... if we define typed linking, **program** formation, and ...

Cited by 82 - Related articles - BL Direct - Ali 26 versions

[CITATION] ... Power in Photosynthesis: Photosynthetic phosphorylation by isolated chloroplasts is coupled ...

DI Arnon, FR Whatley, MB Allen - Science, 1958 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch ${\bf Application}$ " for the ${\bf file\ type\ "application/pdf,"}$ and ...

Cited by 50 - Related articles - All 4 versions

STRIDER: A black-box, state-based approach to change and configuration management and ...- **isenix.org

YM Wang, C Verbowski, J Dunagan, Y Chen, ... - Science of Computer Programming, 2004 - Elsevier ... time later, that same program or another program reads that modification and

experiences a persistent failure that cannot be repaired by application restart ...

Cited by 86 - Related articles - All 12 versions

Method and apparatus for producing a software test system using complementary code to ...

WM McKeeman, AG Reinig - US Patent 5,651,111, 1997 - Google Patents

... Each developer successfully completes isolated and controlled testing environment ...

due to exter- development of an entirely new application or program, or nal ...

Cited by 30 - Related articles - All 2 versions

*Automatic misconfiguration troubleshooting with PeerPressure

HJ Wang, JC Platt, Y Chen, R Zhang, YM ... - usenix.org

... Favorites, IE uses the "unknown file type icon" for ... is the ease of reproducing application failures since ... special hardware setup or specific software versions ...

Cited by 79 - Related articles - Cached - All 30 versions

Extensible file system (ELFS): an object-oriented approach to high performance file i/o- *psu.edu (PDF)

JF Karpovich, AS Grimshaw, JC French - ... programming systems, language, and applications, 1994 - portal.acm.org ... used more than once within the **program** (allowing the im ... methods are appropriate for

a given file type and how ... Selection and application of access methods can be ... Cited by 58 - Related articles - Bi. Direct - Ali 9 versions

Cited by 58 - Helated articles - BL Ulrect - All 9 Versions

[CITATION] The isolation of Histoplasma capsulatum from soil in an unused silo

JT Grayston, CG Loosli, ER Alexander - Science, 1951 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 35 - Related articles - All 3 versions

ICITATION A selective medium for the isolation of Coccidioides immitis

LK Georg, L Aiello, MA Gordon - Science, 1951 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type "application**/pdf," and ...

Cited by 36 - Related articles - All 3 versions

Maintenance as a function of design

JR McKee - Proceedings of the July 9-12, 1984, national computer ..., 1984 - portal.acm.org ... in the form of programming tools and software packages which ... on-line activity in

this application, neither the network- nor the inverted-file- type of DBMS ...

Cited by 36 - Related articles - Ali 3 versions

Application program and documentation generator system and method

BT Stack - US Patent 6.257,774, 2001 - Google Patents

... 10,2001 (54) APPLICATION PROGRAM AND DOCUMENTATION GENERATOR SYSTEM AND METHOD

(75) Inventor: Brian T. Stack, Miami Lakes, FL (US) (73) Assignee: Authorgenics ...

Cited by 18 - Related articles - All 9 versions

Diagnostic configuration management for a data processing system

DM Benignus, LM Browning - US Patent 4,888,771, 1989 - Google Patents

... A failing option can be isolated during a system ... In or on a diagnostics application

program diskette 10, in ... each 45 djfferent way hard file type, diskette type ...

Cited by 25 - Related articles - All 2 versions

[CITATION] The isolation of the St. Louis encephalitis virus from chicken mites (Dermanyssus gallinae) ...

MG Smith, RJ Blattner, FM Heys - Science, 1944 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf." and ...

Cited by 30 - Related articles - All 3 versions

[CITATION] Isolation of a new enterovirus

R DEIBEL, LL GROSS, DN COLLINS - Experimental Biology and Medicine, 1975 - SEBM

Cited by 29 - Related articles

Debugging reinvented: asking and answering why and why not questions about program ... - *psu.edu |PDF|

AJ Ko, BA Myers - ... of the 30th international conference on Software ..., 2008 - portal.acm.org

... a simple painting application, which supported drawing colored strokes (see Figure

1.1). Among the 500 lines of code, there were a few bugs in the ${\bf program}$...

Cited by 29 - Related articles - All 10 versions

[CITATION] Enzymatic activities of isolated normal and mutant mitochondria and plastids of higher plants

HG DuBuy, MW Woods, MD Lackey - Science, 1950 - sciencemag.org

 \dots than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 28 - Related articles - Ali 3 versions

ICITATION Immunologic comparison of isolated surface membranes of Bacillus megaterium

JW Vennes, P Gerhardt - Science, 1956 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type** "application/pdf," and ...

Cited by 27 - Related articles - All 2 versions

[CITATION] Isolation of a steroid hormone from the adrenal-vein blood of dogs

DH Nelson, H Reich, LT Samuels - Science, 1950 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/odf." and ...

Cited by 27 - Related articles - All 3 versions

[CITATION] Isolation and identification of type 2 alveolar epithelial cells

R Mason, MC Williams, JA Clements - Chest, 1975 - Am Coll Chest Phys

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 13 - Related articles - All 3 versions

[CITATION] Isolation of ascorbic acid and rhamnosides from sea water

PJ Wangersky - Science, 1952 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type** "application/pdf," and ...

Cried by 21 - Related articles - All 3 versions

[PDF] *A New Look at Microkernel-Based UNIX Operating Systems: Lessons in Performance and ...

A Bricker, M Gien, M Guillemont, J Lipkis, D ... - Proceedings of EurOpen Spring 1991 Conference, 1991 - Citeseer ... as specialised servers and applications, be integrated ... to integrate new hardware

and software com- ponents ... machine dependencies may be **isolated** from unrelated ...

Cited by 32 - Related articles - View as HTML - All 20 versions

[PDF] *Information Management for a Large Multidisciplinary Project

KH Jones, DP Randall, CK Cronin - Fourth AIAA/USAF/NASA/OAI Symposium on ..., 1992 - Citeseer

... opening of a form, a **File Type** and **File** ... The Environment for **Application** Software Integration and Execution ... executing **programs** and a **program** facilitating the ...

Cijed by 15 - Related articles - View as HTML - All 4 versions

IPDFI *Why pcs are fragile and what we can do about it: A study of windows registry problems

A Ganapathi, YM Wang, N Lao, JR Wen - Proceedings of IEEE Dependable Systems and 2004 - Citeseer

... instead replaced by the "unknown file type" icon. ... over Registry entries from software uninstallation or ... lonore", were either too application-specific or ...

Cited by 20 - Related articles - View as HTML - All 13 versions

IPDFI *The DoD internet architecture model

VG Cerf, E Cain - Computer Networks, 1983 - Citeseer

... layer, the protocols become much more **application**-specific ... modes of operation depending on **file type** and includes ... has been to simplify the software necessary in ...

Cited by 45 - Related articles - View as HTML - All 4 versions

ICITATION Isolation in suckling mice of a virus from C3H mice harboring Bittner milk agent

L Kilham - Science, 1952 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type "application**/pdf," and ...

Cifed by 16 - Related articles - All 3 versions

System for parsing extended file names in an operating system

EJ Bauer - US Patent 5.412.808, 1995 - Google Patents

... of the invention, an ap- same assignee hereof: US patent application Ser ... is desired

is a technique which enables an oper- 55 isolation from user ${f programs.}$...

Cited by 23 - Related articles - All 2 versions

Display-only file server: A solution against information theft due to insider attack- poutedu [PDF]

Y Yu, T Chiueh - Proceedings of the 4th ACM workshop on Digital ..., 2004 - portal.acm.org

... Because of the **isolation** of digital content from end users ... the look-and-feel of those applications that are used ... file, and turns it into a **program** that contains ...

Cited by 20 - Related articles - All 6 versions

[CITATION] Primary isolation and propagation of influenza virus in cultures of human embryonic renal ...

WJ Mogabgab, IJ Green, OC Dierkhising - Science, 1954 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 15 - Related articles - All 3 versions

[PDF] *LADDIS: The next generation in NFS file server benchmarking

M Wittle, BE Keith - Proceedings of the Summer USENIX Technical 1993 - Citeseer

... such as CAD, imaging, animation, and commercial NFS applications. ... The goal is to

isolate and measure the ... that all relevant hardware and software details are ...

Cited by 69 - Related articles - View as HTML - All 16 versions

Molecular Genetics Information System (MOLGENIS): alternatives in developing local ...- •oxford/ournals.org

MA Swertz, EO De Brock, SAFT Van Hijum, A ... - Bioinformatics, 2004 - Oxford Univ Press ... automatically based on a specific **file type** or exten ... implemented using the Invengine software (http ... nl), allowed for rapid **application** development because it ...

Cited by 13 - Related articles - BL Direct - All 13 versions

[PDF] *Policy enforcement via program monitoring

JA Ligatti, DP Walker - Princeton University, Princeton, NJ, 2006 - Citeseer

... the problem of policy complexity by developing a program- ... to reuse, update, and analyze

isolated subpolicies ... composeable run-time policies on Java applications. ...

Cited by 16 - Related articles - View as HTML - All 7 versions

[CITATION] Isolation and properties of corticotropin from bovine pituitary glands

CHAO LI, JS DIXON - Science, 1956 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type "application**/pdf," and ...

Cited by 14 - Related articles - Ali 3 versions

ICITATIONI Respiratory characteristics of mitochondria isolated from squamous epithelium of the ... GD McCOY - Experimental Biology and Medicine, 1977 - SEBM

Cited by 13 - Related articles

Managing update conflicts in Bayou, a weakly connected replicated storage system- *psu.edu [PDF]

DB Terry, MM Theimer, K Petersen, AJ Demers ... - ACM SIGOPS Operating Systems Review, 1995 - portal acm.org ... of a laptop or PDA running in isolation. ... each Write operation, are general programs written ma ... embedded data, such as application-specific knowledge related to ...

Cited by 740 - Related articles - BL Direct - All 85 versions

System for providing secure internetwork by connecting type enforcing secure computers to ...

WE Boebert, CO Rooers, G Andreas, SW ... - US Patent 5,864,683, 1999 - Google Patents ... 9, 1996 by Areste Canosa for Application No ... Haigh, et al., "Extending the Noninterference Version of MLS for SAT", IEEE Transactions on Software Engineering, ...

Cited by 54 - Related articles - Ali 2 versions

ICITATION The Isolation of a New Oxidation-Reduction Enzyme from Lemon Peel (Vitamin P)

CZ Wawra, JL WEBB - Science, 1942 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 12 - Related articles - All 3 versions

[CITATION] Isolation of the viruses of western equine and St. Louis encephalitis from Culex tarsalis ...

WMD Hammon, WC Reeves, B BROOKMAN, EM ... - Science, 1941 - sciencemaq.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 12 - Related articles - All 3 versions

Sharing in typed module assembly language- *psu.edu [PDF]

D Duggan - Lecture Notes in Computer Science, 2001 - Springer ... the client is the running program that loads and ... to core language operations (function application and generic ... $x k : A k \} \Gamma \in \text{Register File Type } ::= \{r 1 ...$

Cited by 23 - Related articles - Bt. Direct - All 13 versions

[PS] •Elk: The extension language kit

- O Laumann, C Bormann Computing Systems, 1994 dmn.tzi.org ... Emacs-Lisp, but it appeared infeasible to isolate the Lisp interpreter from the
- rest of Emacs. In addition, at ... application's "main program" (eg enter ...

Cited by 23 - Related articles - View as HTML - BL Direct - All 11 versions

ICITATIONI Precipitation of enzymes during isolation of chloroplasts in carbowax

CR Stocking - Science, 1956 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 11 - Related articles - All 3 versions

VXA: A virtual architecture for durable compressed archives

B Ford - usenix.org

... using a scheme appropriate for the file's type if available ... address space, but in a software-enforced fault ... domain [46], protecting the application process from ...

Cited by 7 - Related articles - Cached - All 22 versions

IPDFI *SVDPACKC (version 1.0) user's quide

M Berry, T Do, GO'Brien, V Krishna, S Varadhan - University of Tennessee, 1993 - Citeseer ... trieval applications. A user-friendly software interface to the package for

UNIX-based systems and the Macintosh II/fx is also described. Page 4. CONTENTS 1 ...

Cited by 121 - Related articles - View as HTML - All 51 versions

ICITATIONI Isolation of influenza A by intraallantoic inoculation of untreated throat washings

M Thiggen, J Crowley - Science, 1943 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 10 - Related articles - All 3 versions

[CITATION] Electrical activity of isolated single electroplax of electric eel as affected by temperature

E Schoffeniels - Science, 1958 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf." and ...

Cited by 10 - Related articles - All 3 versions

*Electronic Crime Scene Investigation: A Guide for First Responders

ECS Investigation - US Department of Justice, NCJ, 2001 - ojp.usdoj.gov

... File Format Refers to file type based on file ... Screen names are required for instant

messaging (IM) applications. Screen Saver A utility program that prevents a ...

Cited by 10 - Related articles - Cached - All 2 versions

Tutorial programs for operation of on-line retrieval systems

DE Caruso - Journal of Chemical Documentation, 1970 - pubs.acs.org

... goal of fully interactive searching of that file type. ... tried to make the best application of currently ... the system, (5) debug-ging the program, (6) preliminary ...

Cited by 9 - Related articles

An environment for producing well-engineered microcomputer software

RS Eanes, CK Hitchon, RM Thall, JW Brackett - ... of the 4th international conference on Software ..., 1979 - portal. acm.org

... be optimized for the target application, not for ... 2) Support the entire software configuration throughout its ... 4) Isolate the working environments of programmers ...

Cited by 9 - Related articles

Comparison-based file server verification

YL Tan, T Wong, JD Strunk, GR Ganger - usenix.org

... quides us to have the Tee run as application-level software ... do so, we ran a simple test program on a ... MODE bits like FreeBSD without Linux's extra file type bits ...

Cited by 8 - Related articles - Cached - All 18 versions

ICITATIONI Assessment of asthma in the workplace

M Chan-Yeung - Chest, 1995 - Am Coll Chest Phys

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/odf." and ...

Cited by 157 - Related articles - Bt. Direct - All 5 versions

Linux Kernel Loadable Wrappers 2

T Mitchem, R Lu, RO'Brien, K Larson - doi.ieeecomputersociety.org

... Netscape prototype, only rules for the **<file> type** are used ... composition analysis that was done on the **program**.... The **application** of composition to the analysis of ...

Cited by 7 - Related articles - Ail 2 versions

Display mode query and set

PJ Monnes, JG Wilkinson - US Patent 5,375,210, 1994 - Google Patents

... data, with name unique to new file type * - can store ... embodiment to be described,

relative the program code of the respective driver or application to IBM PS ...

Cited by 10 - Related articles - Ali 2 versions

[CITATION] ISOLATION OF VIQLACEIN

FM Strong - Science, 1944 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 8 - Related articles - Alf 3 versions

[CITATION] Studies on the Isolation of the Factor Responsible for Tissue Injury in Inflammation

V Menkin - Science, 1943 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/odf." and ...

Cited by 9 - Related articles - All 3 versions

... cumulative signal strength using commercially available software Photoshop and Matlab- *jhc.org

KA Malkowskyj, D Schonfeld, RV Benya - Journal of Histochemistry and Cytochemistry, 2000 - Histochemical Soc ... Function "Save" select tiff for file type. ... a more expensive RGB digital camera.

expensive software is not ... Santeursanio G, Gown AM (1997) Application of Photoshop ...

Cited by 63 - Related articles - BL Direct - All 5 versions

[PDF] *The Empowered User: A New Approach to Software Documentation

T Barker - ANNUAL CONFERENCE-SOCIETY FOR TECHNICAL ..., 1994 - stc.org

... For example, a word processing manual that follows the "open a file, type in words, save ... This design helps users see the application of the program to their ...

Cited by 4 - Related articles - View as HTML - BL Direct

[CITATION] Isolation and some characteristics of glutathione reductase from rabbit erythrocytes LEEE RAY, JM PRESCOTT - Experimental Biology and Medicine, 1975 - SEBM

Cited by 10 - Related articles

ICITATION A recently isolated strain of poliomyelitic virus

BF Howlit - Science, 1937 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch **Application**" for the **file type** "application/pdf," and ...

Cited by 8 - Related articles - All 3 versions

[CITATION] Isolation of a Filterable Virus from Chickens Affected with" Blue Comb" Disease

EF Walter - Science, 1942 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 7 - Related articles - All 3 versions

... transactions in an environment containing a number of object oriented applications

M Phillips, M Blevins - US Patent 5,854,750, 1998 - Google Patents

... Warren & Perez [57] ABSTRACT A computer implemented transaction processing system

is presented for processing transactions between an **application** and one or ...

Cited by 14 - Related articles - All 2 versions

MINDERSON LANDON MANAGEMENT CONTRACTOR CONTR

Kernel Mode Linux: Toward an operating system protected by a type theory

T Maeda, A Yonezawa - Lecture notes in computer science, 2003 - Springer

... If the **program** counter pc points into the domain of the kernel K, a ... the register file of the abstract machine must have a register **file type** (explained below ...

Cited by 5 - Related articles - Bt. Direct - All 4 versions

Interconnecting heterogeneous computer systems- .psu.edu (PDF)

D Notkin, AP Black, ED Lazowska, HM Levy, J ... - Communications of the ACM, 1988 - portal.acm.org

 \dots Isolation is generally unacceptable, so many users regularly \dots them (such as the ${\it file}$

type) need be ... procedure calls within the application program's high-level ...

<u> Cited by 77 - Related articles - All 6 versions</u>

Method and apparatus for network security in browser based interfaces

WR Baldwin, CS Christensen, RK Foster, A ... - US Patent 5,878,417, 1999 - Google Patents

... FILETYPE EXTENSION 30 STEP 2 **ISOLATE** SPECIFIC NETWORK ... and permission information for said **application program**, said unique **file type** extension different ...

Cited by 4 - Related articles - All 2 versions

[CITATION] Observational software for laptop computers and optical bar code readers

JH Wehby - Behavioral observation: Technology and **applications** in ..., 2000 - Paul H Brookes Pub Co Cited by 3 - Related articles

ICITATION The Isolation and Identification of Bound Morphine

RA Seibert, CE Williams, RA Huggins - Science, 1954 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 5 - Related articles - All 3 versions

[CITATION] Methylene blue enhances hypoxic contraction in isolated rat pulmonary arteries

DM Rodman, T Yamaguchi, RF O'Brien, IF ... - Chest, 1988 - Am Coll Chest Phys. ... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Ciled by 5 - Related articles - All 3 versions

Computer system with operating system functions distributed among plural ...

SKH Jaffrey - US Patent 6.591.358, 2003 - Google Patents

... INITIATE ISOLATION PROCEDURE OF DEVICES READ RESOURCE REQUIREMENT OF EACH DEVICE ... 8,2003 Sheet 5 of 16 US 6,591,358 B2 APPLICATION PROGRAMS HARDWARE/FIRMWARE ...

Cited by 5 - Related articles - All 2 versions

OTFACT: Multi-level performance-oriented software with an assistive technology outcomes ...

RO Smith - Technology and Disability, 2002 - IOS Press

... 5. OTFACT file type window highlights file selection ... the TTSS method suggests another

application which needs ... therapy professional training programs use OTFACT ...

Gited by 4 - Related articles

[CITATION] Hypertrophic alveolar type II cells isolated after silica-induced lung injury are progressing ...

RJ Panos, RJ Mason - Chest, 1991 - Am Coll Chest Phys.

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 3 - Related articles - All 3 versions

Intelligent card reader having emulation features

GF Renner, RE Johnson, C Chu-Jeng - US Patent 5,679,945, 1997 - Google Patents

... 2 to isolate differences among reader instead of bar code reader 101 ... access control computer 105, door 106 is unlocked to allow application program to implement ...

Cited by 12 - Related articles - All 5 versions

[CITATION] Ethnic types and isolation

C Wissler - Science, 1906 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to "Save" rather than "Launch Application" for the file type "application/pdf." and ...

Cited by 4 - Related articles - All 3 versions

гстатюм Isolation of Bacillus radicicola from soil

CB Lipman, LW Fowler - Science, 1915 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ... Cited by 4 - Related articles - All 3 versions

Making scientific computations reproducible- *psu.edu (PDF)

M Schwab, M Karrenbach, J Claerbout - Computing in Science & Engineering, 2000 - doi.leeecomputersociety.org ... universal rules that recognize a file's type and thus ... Every application makefile

contains the burn target as part ... f, if Ratfor versions of the program, such as ...

Cited by 61 - Related articles - BL Direct - All 13 versions

Method and apparatus for replicating and analyzing worm programs

WC Arnold, DM Chess, JF Morar, A Segal, MG ... - US Patent 6,981,279, 2005 - Google Patents ... signs of activity by an undesirable software entity, such as ... to use depends on the

applications installed, which ... The file type is determined at setup time, and ...
Cited by 2 - Related articles - All 2 versions

Semiotic engineering principles for evaluating end-user programming environments- *puo-rio.br [PDF]

CS De Souza, SDJ Barbosa, SRP Da Silva - Interacting with Computers, 2001 - Eisevier

... that, with the exception of advanced spreadsheet users, only a very small percentage of software consumers have ever tried to **program** an **application** (be it by ...

Cited by 29 - Related articles - All 8 versions

[PDF] *Hps: Hybrid profiling support

H Mousa, C Krintz - International Conference on Parallel Achitecture and ..., 2005 - Citeseer ... adapt to the changing needs of the profiling application, ... This analysis is important

for **program** and data placement ... consider only a single pro- **file type** at a ...

Cited by 4 - Related articles - View as HTML - All 8 versions

VChemLab: A Virtual Chemistry Laboratory. The Storage, Retrieval, and Display of Chemical ...

HS Rzepa, AP Tonge - J. Chem. Inf. Comput. Sci, 1998 - pubs.acs.org

... data, file type. ... The RMI registry runs as a background application on the remote

host ... Figure 12 Standalone **program** to register the remote object 'remotePSE' with ... Cited by 12 - Related articles - Bi. Direct - All 4 versions

Method and apparatus for regression testing of application logic

DJ McMahon, G Buzsaki - US Patent 5,758,062, 1998 - Google Patents

... the novel system allows more effective error detection and error **isolation** of the ...

INPUT AND OBTAIN TEST STATE LOG FILE 410 EXECUTE ${f PROGRAM}$ ${f APPLICATION}$ LAYER BY ...

<u> Cited by 15 - Related articles - Alt 2 versions</u>

[PDF] *A framework-based approach to science software development

S Larson, S Watson, K Rengarajan, I ... - 2000 IEEE Aerospace Conference Proceedings, 2000 - Citeseer

... Page 8. instructions for building a science application from the Framework classes,

skeleton $\mathbf{program}$ and information on the salient features of the Framework. ...

Cited by 3 - Related articles - View as HTML - All 5 versions

[PDF] *Non-Stop Processor Field Upgrading with Layered Software Architecture

H Nakamura, S Futagami - GLOBECOM-NEW YORK-, 1998 - doLee.ncku.edu.tw

... program and the file type in the file format. ... Extended OS and application programs,

those driver programs in the Basic OS products that are least ...

Cited by 2 - Related articles - View as HTML - BL Direct - All 4 versions

IPDFI An MPI-IO Interface to HPSS

T Jones, R Mark, J Martin, J May, E Pierce, L ... - NASA CONFERENCE PUBLICATION, 1996 - Citeseer ... The SIOF API stores the churk map of the **file type** for each node and each open file ...

[6] Open Software Foundation, OSF DCE Application Development Reference ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 5 versions

IPDFI *Quality of service and scientific workflows

MA Vouk, MP Singh - The Quality of Numerical **Software**: Assessment and ..., 1997 - Citeseer ... files on the basis of file type, to help ... rollforward typically requires knowledge

of application semantics ... rollforward as an instance of software fault-tolerance ...

Cited by 23 - Related articles - View as HTML - All 3 versions

System and method for automatic data file format translation and transmission having ...

SS Ogawa, KR Pierce - US Patent 5,608,874, 1997 - Google Patents

... Stores Midformat Files 342 translates MidFormat fi 1 resultant Destination o Subscriber Application 600 (Figure 9) Postprocessor 601 •4— ' 0 Software 620 T ...

Cited by 62 - Related articles - All 2 versions

IPDF: *Graphical application and visualization of lazy functional computation

SP Foubister - UNIVERSITY OF YORK DEPARTMENT OF COMPUTER ..., 1995 - Citeseer

... The discussion is centred round two example **applications**. One is a graphical design **program** based on an idea of the artist MC Escher. ...

Cried by 7 - Related articles - View as HTML - BL Direct - All 7 versions

[CITATION] Isolation by cataphoresis of virus from vaccinia-recovered rabbits

PK Olitsky, PH Long - Science, 1929 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and \dots

Cited by 3 - Related articles - All 3 versions

[CITATION] Isolation of L forms of Bartonella bacilliformis

JT Sharp - Experimental Biology and Medicine, 1968 - SEBM

Cited by 3 - Related articles

[CITATION] Thermal stimulation of isolated organs and its inhibition by pharmacological agents

N Ercoli, V Guzzon - Science, 1952 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 3 - Related articles - All 3 versions

[CITATION] Lowered P/O ratios with mitochondria isolated from livers showing cloudy swelling

A Fonnesu, C Severi - Science, 1956 - sciencemad.ord

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 3 - Related articles - All 3 versions

[CITATION] Salmonella isolated from human mesenteric lymph nodes

G Varela, J Olarte - Science, 1944 - sciencemag.org

... than opening it "on the fly." This requires that you configure your browser to

"Save" rather than "Launch Application" for the file type "application/pdf," and ...

Cited by 3 - Related articles - All 3 versions

»WholePathwayScope: a comprehensive pathway-based analysis tool for high-throughput ...

M YI, JD Horton, JC Cohen, HH Hobbs, RM ... - BMC bioinformatics, 2006 - biomedcentral.com ... The third **file type** is the criteria (CRI) file ... features not found in a single similar

application. The new software program, WPS, is described that facilitates ...

Cited by 34 - Related articles - Cached - All 10 versions

guFiles: a unifying abstraction for mobile data management- *psu.edu [PDF]

K Veeraraghavan, EB Nightingale, J Flinn, B ... - ... on Mobile computing systems and applications, 2008 - portal acmorg

... Sprockets [17], which use a form of software fault **isolation** ... mul- tiple formats to cater to **application** or device ... that a device might cache a **file type** that it ...

Cited by 4 - Related articles - All 7 versions

Store—a system for handling third-party applications in a heterogeneous computer ...

A Christensen, T Egge - Software configuration management: ICSE SCM-4 and ..., 1995 - books.google.com ... even precedented, as compilers use the "file type" to decide ... user can easily find the program needed given ... one Web" home-page" per application, through which ... Cited by 2 - Related articles - BL Direct - All 2 versions

[CITATION] ... the yeast genome and individual yeast chromosome denaturation mapping using the **program** ... JUW Bizzaro, KA Marx, RD Blake - Materials science of the cell: symposium held ..., 1998 - Materials Research Society Cited by 3 - Related articles - BL Direct

Security policy specification using a graphical approach- *arxiv.org [PDF]

JA Hoagland, R Pandey, KN Levitt - Arxiv preprint cs/9809124, 1998 - arxiv.org ... These objects do not exist in isolation. ... is dynamic and that depend on the state of an application. ... to add constraint checks directly in a program, for example ... Cited by 64 - Related articles - View as HTML - All 5 versions

A critique of the GNU Hurd multi-server operating system- •walfield.org [PDF]

NH Walfield, M Brinkmann - ACM SIGOPS Operating Systems Review, 2007 - portal.acm.org ... object in the form of the file type information for ... To avoid this, the program instance

that sets the \dots environments work to restore running applications to the \dots

Cited by 3 - Related articles - Bt. Direct - All 9 versions

Did you mean to search for: "file type" and (application or program) and isolate



"file type" and (application or progra Search

Go to Google Home - About Google - About Google Scholar

©2009 Google